



SAFETY DATA SHEET

Product Name **DIVERFLOOR**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier name DIVERSEY AUSTRALIA PTY. LIMITED
Address 29 Chifley St, Smithfield, NSW, 2164, AUSTRALIA
Telephone (02) 9757 0300
Fax (02) 9725 5767
Emergency 1800 033 111 (24 hrs)
Email aucustserv@diverse.com
Web site <http://www.diverse.com>
Synonym(s) HH11075 DIVERFLOOR 3X5L
Use(s) ALKALINE CLEANING AGENT • CLEANING AGENT • FLOOR CLEANER
SDS date 13 January 2015

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Risk Phrases

R35 Causes severe burns.
R41 Risk of serious damage to eyes.

Safety Phrases

S1/2 Keep locked up and out of reach of children.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S37/39 Wear suitable gloves and eye/face protection.
S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN Number 1824 **Transport Hazard Class** 8
Packing Group II **Hazchem Code** 2R

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EC Number	Content
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	203-905-0	<10%
SODIUM HYDROXIDE	1310-73-2	215-185-5	<10%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	>60%

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

Product Name **DIVERFLOOR**

Advice to doctor swallowed, do not induce vomiting.
Treat symptomatically.

First aid facilities Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases if strongly heated.

Fire and explosion Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Use an extinguishing agent suitable for the surrounding fire.

Hazchem code 2R
2 Fine Water Spray.
R Wear liquid-tight chemical protective clothing and breathing apparatus. Dilute spill and run-off.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

Environmental precautions Prevent product from entering drains and waterways.

Methods of cleaning up Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

References See Sections 8 and 13 for exposure controls and disposal.

7. STORAGE AND HANDLING

Storage Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
2-Butoxyethanol (EGBE)	SWA (AUS)	20	96.9	50	242
Sodium hydroxide (peak limitation)	SWA (AUS)	--	2	--	--

Biological limits

Ingredient	Determinant	Sampling Time	BEI
ETHYLENE GLYCOL MONOBUTYL ETHER	Butoxyacetic acid (BAA) in urine (with hydrolysis)	End of shift	200 mg/g creatinine

Reference: ACGIH Biological Exposure Indices

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

Eye / Face	Wear splash-proof goggles. When using large quantities or where heavy contamination is likely, wear a faceshield.
Hands	Wear PVC or rubber gloves.
Body	Wear coveralls. When using large quantities or where heavy contamination is likely, wear rubber boots and a PVC apron.
Respiratory	Where an inhalation risk exists, wear a Type B (Inorganic gases and vapours) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	CLEAR YELLOW LIQUID
Odour	BUTYL ICINOL ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	100°C (Approximately)
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	12.0 to 13.0 (1 % solution)
Vapour density	NOT AVAILABLE
Specific gravity	1.060 - 1.080
Solubility (water)	SOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
% Volatiles	NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical stability	Stable under recommended conditions of storage.
Conditions to avoid	Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.
Material to avoid	Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), metals, heat and ignition sources. Also incompatible with ammonium salts, tin and zinc.
Hazardous Decomposition Products	May evolve toxic gases if heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	This product has the potential to cause adverse health effects. Use safe work practices to avoid eye or skin contact and inhalation. Over exposure may result in corrosive tissue damage.
Eye	Contact may result in irritation, lacrimation, pain, redness, corneal burns and possible permanent damage.
Inhalation	Over exposure may result in irritation of the nose and throat, coughing, nausea and inflammation with breathing difficulties.
Skin	Contact may result in irritation, redness, pain, rash, dermatitis and possible burns.
Ingestion	Ingestion may result in ulceration and burns to the mouth and throat, nausea, vomiting, abdominal pain and diarrhoea.
Toxicity data	ETHYLENE GLYCOL MONOBUTYL ETHER (111-76-2) LC50 (inhalation) 700 ppm (mouse) LD50 (ingestion) 300 mg/kg (rabbit) LD50 (skin) 230 mg/kg (guinea pig)

ETHYLENE GLYCOL MONOBUTYL ETHER (111-76-2)	
TCLo (inhalation)	100 ppm (human)
TDLo (ingestion)	7813 uL/kg (woman)
SODIUM HYDROXIDE (1310-73-2)	
LD50 (intraperitoneal)	40 mg/kg (mouse)
LDLo (ingestion)	500 mg/kg (rabbit)

12. ECOLOGICAL INFORMATION

Toxicity	If released to waterways, alkaline products may change the pH of the waterway. Fish will die if the pH reaches 10-11 (goldfish 10.9, bluegill 10.5).
Persistence and degradability	No information provided.
Bioaccumulative potential	No information provided.
Mobility in soil	SOIL: May leach to groundwater with toxic effects on aquatic life as above.
Other adverse effects	No information provided.

13. DISPOSAL CONSIDERATIONS

Waste disposal	Neutralise with dilute acid (e.g. 3 mol/L hydrochloric acid) or similar. For small amounts, absorb with sand or similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information (if required).
Legislation	Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN Number	1824	-	-
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION	-	-
Transport Hazard Class	8	-	-
Packing Group	II	-	-

Environmental hazards No information provided

Special precautions for user

Hazchem code	2R
GTEPG	8A1

15. REGULATORY INFORMATION

Poison schedule	Classified as a Schedule 5 (S5) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Inventory Listing(s)	AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:
The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m ³	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

Revision history

Revision	Description
1.1	Standard SDS Review
1.0	Initial SDS creation

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Revision: 1.1
SDS Date: 13 January 2015

End of SDS