

Safety Data Sheet

ROOM CARE R1-PLUS

Revision: 2016-05-18 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name ROOM CARE R1-PLUS

1.2 Recommended use and restrictions on use

Identified uses:

Toilet cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited 29 Chifley St, Smithfield, NSW, 2164, Australia

Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: aucustserv@sealedair.com Website: http://www.sealedair.com/

1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3 Serious eye irritation, Category 2

2.2 Label elements





Signal word: Warning

Hazard statements:

H226 - Flammable liquid and vapour.

H319 - Causes serious eye irritation.

Prevention statement(s):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground or bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating or lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P363 - Wash contaminated clothing before reuse.

P370 + P378 - In case of fire, use chemical powder for extinction.

Storage statement(s):



P403 + P235 - Store in a well-ventilated place. Keep cool.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product

Recommended maximum concentration (%): 9.1

Serious eye irritation, Category 2

2.5 Label elements diluted product



Warning.

H319 - Causes serious eye irritation.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P501 - Dispose of unused content as chemical waste.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Classification	Weight percent
citric acid	77-92-9	201-069-1	Eye Irrit. 2 (H319)	10-30
propan-2-ol	67-63-0	200-661-7	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	3-10
sodium cumenesulphonate	28348-53-0	248-983-7	Eye Irrit. 2 (H319)	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Ingestion:

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Take off immediately all contaminated clothing and wash it before re-use.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get

medical attention.

Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

^{*} Polymer.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from flames and hot surfaces. No smoking. Keep away from heat. Take precautionary measures against static discharges.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Handle and open container with care. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
propan-2-ol	400 ppm 983 mg/m³	500 ppm 1230 mg/m ³	

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

No special requirements under normal use conditions. Respiratory protection:

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 9.1

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product.

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Hand protection:

Body protection: No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

No special requirements under normal use conditions. **Environmental exposure controls:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid Colour: Clear, Dark Blue **Odour:** Slightly perfumed Odour threshold: Not applicable

pH: < 2 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flash point (°C): ≈ 51 closed cup Weight of evidence

Sustained combustion: The product does not sustain combustion

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: 1.136 g/cm³ (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

Take precautionary measures against static discharge. Keep cool. Keep away from heat and direct sunlight. Store in a well-ventilated place.

10.5 Incompatible materials

Keep away from products containing chlorine-based bleaching agents or sulphites. Reacts with alkali.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity					
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
citric acid	LD 50	3000	Rat	Method not given	
propan-2-ol	LD 50	3570	Rat	Method not given	
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
citric acid	LD 50	> 2000	Rat	Method not given	
propan-2-ol	LD 50	> 2000	Rabbit	Method not given	
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given	I

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
citric acid		No data available			
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
sodium cumenesulphonate	LC 50	> 770	Rat	Method not given	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
citric acid	Not irritant	Rabbit	OECD 404 (EU B.4)	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
citric acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

	sodium cumenesulphonate	Irritant	Method not given	
_				

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
citric acid	No data available			
propan-2-ol	No data available			
sodium cumenesulphonate	No data available			

Sensitisation Sensitisation by skin contact

Scholled de la contract	D 14	0	84.411	E
Ingredient(s)	Result	Species	Method	Exposure time (h)
citric acid	Not sensitising	Guinea pig	Method not given	
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
citric acid	No data available			
propan-2-ol	No data available			
sodium cumenesulphonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)		Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
citric acid	No data available		No evidence of genotoxicity, negative	Method not
			test results	given
propan-2-ol	No evidence for mutagenicity, negative	OECD 471 (EU	No data available	
	test results	B.12/13)		
sodium cumenesulphonate	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	given	test results	B.12)

Carcinogenicity

Ingredient(s)	Effect
citric acid	No evidence for carcinogenicity, negative test results
propan-2-ol	No data available
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
citric acid			No data				No evidence for reproductive
			available				toxicity
propan-2-ol			No data				
			available				
sodium	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline		
cumenesulphonate		-			test		

Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
citric acid		No data available				
propan-2-ol		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534		OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
citric acid		No data				
		available				
propan-2-ol		No data				
		available				
sodium cumenesulphonate	NOAEL	440	Mouse	Method not	90	
				given		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
citric acid		No data				
		available				
propan-2-ol		No data				

	available		
sodium cumenesulphonate	No data		
	available		

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
citric acid			No data					
			available					
propan-2-ol			No data					
			available					
sodium	Dermal	NOAEL	727	Mouse	Method not	24 month(s)		
cumenesulphonate					given			

STOT-single exposure

Ingredient(s)	Affected organ(s)
citric acid	No data available
propan-2-ol	No data available
sodium cumenesulphonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
citric acid	No data available
propan-2-ol	No data available
sodium cumenesulphonate	No data available

Aspiration hazard
Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
citric acid	LC 50	440	Leuciscus idus	Method not given	48
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
citric acid	EC 50	1535	Daphnia magna Straus	Method not given	24
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48
sodium cumenesulphonate	EC 50	> 1000	Daphnia	EPA-OPPTS	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
citric acid	LC 50	425	Scenedesmus quadricauda	Method not given	168
propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72
sodium cumenesulphonate	Er C 50	310	Not specified		72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
citric acid		No data available			-
propan-2-ol		No data available			-
sodium cumenesulphonate		No data			-

		1		availal	nle T	Т			
				avallal	ole				
mpact on sewage plants - toxicity to bacteria									
Ingredient(s)			Endpoint	Value (mg/l)			Method	Exposur
citric acid			EC 50	> 1000	pui	omonas tida		od not given	16 hour(
propan-2-ol			EC 50	> 100	slu	/ated dge	ge		
sodium cumenesulphonat	<u>e</u>		Er C 50	> 100	00 Bac	teria	0	ECD 209	3 hour(s
Aquatic long-term toxicity Aquatic long-term toxicity - fish									
Ingredient(s)	Endpoint	Valu (mg/l)	ecies	Method	Expos		Effects ob	served
citric acid		No da availal							
propan-2-ol		No da availal	ıta						
sodium cumenesulphonate		No da availal	ıta						
Aquatic long-term toxicity - crustacea									
Ingredient(s)	Endpoint	Valu (mg/l		ecies	Method	Expos		Effects ob	served
citric acid		No da availal							
propan-2-ol		No da availal							
sodium cumenesulphonate		No da availal							
Aquatic toxicity to other aquatic benthic organisms, i	ncluding sediment	t-dwelling	organisms, if	available:					
Ingredient(s)	Endpoint	Valu (mg/kg sedime	e Sp dw	ecies	Method	Expos time (d		Effects ob	served
citric acid		No da availal				-			
propan-2-ol		No da availal				-			
sodium cumenesulphonate		No da availal	ıta			-			
Ferrestrial toxicity	`		,						
Ferrestrial toxicity - soil invertebrates, including earth Ingredient(s)	nworms, if available Endpoint	e: Valu	. en	ecies	Method	Expos	uro I	Effects ob	corred
mgredieni(s)	Enapoint	(mg/kg soil)	dw .	lecies	Wethou	time (d		Ellects on	serveu
citric acid		No da availal				-			
propan-2-ol		No da availal	ıta			-			
sodium cumenesulphonate		No da availal	ıta			-			
		<u>avana</u>	<u> </u>						
Ferrestrial toxicity - plants, if available: Ingredient(s)	Endpoint	Valu	e Sp	ecies	Method	Expos		Effects ob	served
		(mg/kg soil)				time (d	ays)		
citric acid		No da availal	ble						
propan-2-ol		No da availal	ble			_			
sodium cumenesulphonate		No da availal							
Ferrestrial toxicity - birds, if available:									
Ingredient(s)	Endpoint	Value	e Sp	ecies	Method	Expos time (d		Effects ob	served
citric acid		No da availal				-			
propan-2-ol		No da availal	ıta			-	\top		
sodium cumenesulphonate		No da availal	ıta			-			
Ferrestrial toxicity - beneficial insects, if available:									

	available		
propan-2-ol	No data available	-	
sodium cumenesulphonate	No data available	-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
citric acid		No data available			-	
propan-2-ol		No data available			-	
sodium cumenesulphonate		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

BiodegradationReady biodegradability - aerobic conditions

	Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
	citric acid			97 % in 28 day(s)	Method not given	Readily biodegradable
	propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
SO	dium cumenesulphonate					Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Ingredient(s)	Ingredient(s) Value		Evaluation	Remark
citric acid	-1.72		No bioaccumulation expected	
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
sodium cumenesulphonate -1.1		Method not given	Low potential for bioaccumulation	

Bioconcentration factor (BCF)

bioconcentiation factor (Sideonice initiation (Berl)									
Ingredient(s)	Value	Species	Method	Evaluation	Remark					
citric acid	No data available									
propan-2-ol	No data available									
sodium cumenesulphonate	No data available									

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
citric acid	No data available				Potential for mobility in soil, soluble in water
propan-2-ol	No data available				Potential for mobility in soil, soluble in water
sodium cumenesulphonate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods14.5 Environmental hazards: Non-dangerous goods14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Hazchem code: None allocated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations: Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard

for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classification Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Inventory listing(s) AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are

exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000730 **Version**: 01.0 **Revision**: 2016-05-18

Full text of the H phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

Additional information:

Acids: When mixing acids with water (diluting), caution must be taken as heat will be generated which causes violent spattering. Always add a small volume of acid to a large volume of water, NEVER the reverse.

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms: • DNEL - Derived No Effect Limit • AUH - GHS Specific hazard statement

- AUH GHS Specific hazard statement
 PNEC Predicted No Effect Concentration
 ATE Acute Toxicity Estimate
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
 LD50 Lethal Dose, 50% / Median Lethal dose
 STOT-RE Specific target organ toxicity (repeated exposure)
 STOT-SE Specific target organ toxicity (single exposure)
 EC No. European Community Number

End of Safety Data Sheet