

Safety Data Sheet

Suma Grill D9

Revision: 2015-04-24

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier Product name: Suma Grill D9

1.2 Recommended use and restrictions on use Identified uses:
Oven and Grill Cleaner.
Restrictions of use:
Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited 29 Chifley St, Smithfield, NSW, 2164, Australia Telephone: (02) 9757 0300 Fax: (02) 9725 5767 Email: aucustserv@sealedair.com Website: http://www.diversey.com

1.4 Emergency telephone number Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classified as hazardous according to Safe Work Australia criteria.

Skin corrosion, Category 1A

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

Prevention statement(s):

P264 - Wash face, hands and any exposed skin thoroughly after handling. P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

- P310 Immediately call a POISON CENTRE, doctor or physician.
- P321 Specific treatment (see supplemental first aid instructions on this label).
- P363 Wash contaminated clothing before reuse.

Storage statement(s):

P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.



2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Classification	Weight percent
sodium hydroxide	1310-73-2	215-185-5	Skin Corr. 1A (H314) Met. Corr. 1 (H290)	10-30
(2-methoxymethylethoxy)propanol	34590-94-8	252-104-2		3-10
alkyl polyglucoside	68515-73-1	500-220-1	Eye Dam. 1 (H318)	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1. For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

IIIIaiation	vou feel unwell.
Skin contact:	Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.
Eye contact:	Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Shower and eyewash facilities should be considered in a workplace where necessary.
4.2 Most important symptoms and	d effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.
Ingestion:	Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

Pamova parson to frash air and keep comfortable for breathing. Got modical attention or advice if

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center:

Call 13 11 26 (Australia Wide).

oesophagus and stomach.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

- 2R
- 2 Fine water spray.

R - Liquid-tight chemical protective clothing and breathing apparatus. Dilute. W - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb onto dry sand or similar inert material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions: No special precautions required.

•• • • • • • •

Measures required to protect the environment: For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
sodium hydroxide			2 mg/m ³
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:	Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment	
Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374).
	Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier.
	Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
	Suggested gloves for prolonged contact: Material: butyl rubber
	Penetration time: >= 480 min
	Material thickness: >= 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber
	Penetration time: >= 30 min
	Material thickness: >= 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid Colour: Clear, Dark Brown Odour: Product specific Odour threshold: Not applicable **pH:** ≈ 14 (neat) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Flash point (°C): Not applicable. Sustained combustion: Not determined Evaporation rate: Not determined Flammability (solid, gas): Not determined Upper/lower flammability limit (%): Not determined Vapour pressure: Not determined Vapour density: Not determined Relative density: 1.36 g/cm³ (20 °C) Solubility in / Miscibility with Water: Fully miscible Autoignition temperature: Not determined Decomposition temperature: Not determined Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising

9.2 Other information Surface tension (N/m): Not determined Corrosion to metals: Corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data is available on the mixture

Substance data, where relevant and available, are listed below.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	LD 50	> 4000	Rat	Method not given	
alkyl polyglucoside	LD 50	> 2000	Rat	OECD 423 (EU B.1 tris)	-

Acute dermal toxicity					
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	LD 50	9510	Rabbit	Method not given	
alkyl polyglucoside	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)	-

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol		No data available			
alkyl polyglucoside		No data available			-

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
alkyl polyglucoside	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
alkyl polyglucoside	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
(2-methoxymethylethoxy)propanol	No data available			
alkyl polyglucoside	No data available			

Sensitisation

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch test	
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
alkyl polyglucoside	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	-

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
(2-methoxymethylethoxy)propanol	No data available			
alkyl polyglucoside	No data available			-

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
\$	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
	No evidence for mutagenicity, negative test results	Method not given	No data available	
, , , , , , , , , , , , , , , , , , , ,	No evidence for mutagenicity, negative test results	Read across	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
alkyl polyglucoside	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
sodium hydroxide			No data				No evidence for developmental
			available				toxicity No evidence for
			rage 37	0			

				reproductive toxicity
(2-methoxymethylethox y)propanol	Developmental toxicity	No data available		No evidence for reproductive toxicity
alkyl polyglucoside		No data available	OECD 416, (EU B.35), oral	No evidence for reproductive toxicity

Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside	NOAEL	100	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data				
		available				
(2-methoxymethylethoxy)propanol		No data				
		available				
alkyl polyglucoside		No data			-	
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
					anno (aayo)	unootou
sodium hydroxide		No data				
		available				
(2-methoxymethylethoxy)propanol		No data				
		available				
alkyl polyglucoside		No data			-	
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
sodium hydroxide			No data					
			available					
(2-methoxymethylethox			No data					
y)propanol			available					
alkyl polyglucoside			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
(2-methoxymethylethoxy)propanol	No data available
alkyl polyglucoside	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
(2-methoxymethylethoxy)propanol	No data available
alkyl polyglucoside	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)				
sodium hydroxide	LC 50	35	Various	Method not given	96				
Page	Page 6/10								

			species		
(2-methoxymethylethoxy)propanol	LC 50	> 1000	Poecilia reticulata	Method not given	96
alkyl polyglucoside	LC 50	100.81	Brachydanio rerio	ISO 7346	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48
(2-methoxymethylethoxy)propanol	EC 50	1919	Daphnia magna Straus	Method not given	48
alkyl polyglucoside	EC 50	> 100	Daphnia magna Straus	OECD 202	48

Aquatic short-term toxicity - algae					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu m phosphoreum	Method not given	0.25
(2-methoxymethylethoxy)propanol	EC 50	> 969	Selenastrum capricornutum	Method not given	72
alkyl polyglucoside	EC 50	27.22	Desmodesmus subspicatus	Method not given	72

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			-
(2-methoxymethylethoxy)propanol		No data available			-
alkyl polyglucoside	EC 50	12.43	Skeletonema costatum	Method not given	3

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	EC 10	4168	Pseudomonas putida	Method not given	
alkyl polyglucoside	EC 10	> 560	Pseudomonas putida	Method not given	6 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside	NOEC	1	Brachydanio rerio	Method not given	28 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data				
		available				
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	Daphnia	Method not	22 day(s)	
			magna	given		
alkyl polyglucoside	NOEC	1	Daphnia	OECD 202	21 day(s)	
			magna			

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

ſ	Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed		
			(mg/kg dw	_		time (days)			
1	Page 7/10								

	soil)			
sodium hydroxide	No data available		-	
(2-methoxymethylethoxy)propanol	No data available		-	
alkyl polyglucoside	No data available		-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
alkyl polyglucoside		No data available			-	

12.2 Persistence and degradability Abiotic degradation Abiotic degradation - photodegradation in air, if available:

	Ingredient(s)	Half-life time	Method	Evaluation	Remark
ſ	sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	
	(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
alkyl polyglucoside			59%	OECD 301C	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential - 1/---->

Partition coefficient n-octanol/water (log l	KOW)			
Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not	
			bioaccumulate	
(2-methoxymethylethoxy)propanol	1.01	5	Low potential for bioaccumulation	

alkyl polygl	coside 0.07	Method not given	No bioaccumulation expected	
--------------	-------------	------------------	-----------------------------	--

Bioconcentration factor (BCE)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
(2-methoxymethylethox y)propanol	No data available				
alkyl polyglucoside	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
alkyl polyglucoside	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA 14.1 UN number: 1824 14.2 UN proper shipping name:

- Sodium hydroxide solution
- 14.3 Transport hazard class(es): Class: 8
 - Label(s): 8
- 14.4 Packing group:
- 14.5 Environmental hazards:
- Environmentally hazardous: No
- Marine pollutant: No
- 14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: 2R

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule	Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.
Inventory listing(s)	AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are

exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000426

Version: 01.0

Revision: 2015-04-24

Full text of the H phrases mentioned in section 3:

• H290 - May be corrosive to metals.

· H314 - Causes severe skin burns and eye damage. · H318 - Causes serious eye damage.

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- · ATE Acute Toxicity Estimate
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LD50 Lethal Dose, 50% / Median Lethal dose
- STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure)
- EC No. European Community Number

End of Safety Data Sheet