

**Room Care R2-Plus**

Revision: 2015-10-24

Version: 01.0

**SECTION 1: Identification of the substance/mixture and supplier**

**1.1 Product identifier**

**Product name:** Room Care R2-Plus

**1.2 Recommended use and restrictions on use**

**Identified uses:**

Hard surface cleaner

**Restrictions of use:**

Uses other than those identified are not recommended

**1.3 Details of the supplier**

Diversey Australia Pty. Limited

29 Chifley St, Smithfield, NSW, 2164, Australia

Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: [aucustserv@sealedair.com](mailto:aucustserv@sealedair.com)

Website: <http://www.sealedair.com/>

**1.4 Emergency telephone number**

Call 1800 033 111 (24hrs)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classified as hazardous according to Safe Work Australia criteria.

Serious eye damage, Category 1

Skin irritation, Category 2

**2.2 Label elements**



**Signal word:** Danger

**Hazard statements:**

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

**Prevention statement(s):**

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves and eye or face protection.

**Response statement(s):**

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

**2.3 Other hazards**

**SECTION 3: Composition/information on ingredients**

## Room Care R2-Plus

## 3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Classification	Weight percent
alkyl alcohol ethoxylate	69011-36-5	Polymer*	Acute Tox. 4 (H302) Eye Dam. 1 (H318)	10-30
didecyldimethylammonium chloride	7173-51-5	230-525-2	Skin Corr. 1B (H314) Acute Tox. 4 (H302)	3-10
alkyldimethylbenzylammoniumchloride	68424-85-1	270-325-2	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312)	3-10
alkyl alcohol ethoxylate	69011-36-5	931-138-8	Eye Dam. 1 (H318)	1-3
sodium carbonate	497-19-8	207-838-8	Eye Irrit. 2 (H319)	1-3
propan-2-ol	67-63-0	200-661-7	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.  
For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.
<b>First aid facilities:</b>	Eyewash facilities should be considered in a workplace where necessary.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	Causes irritation.
<b>Eye contact:</b>	Causes severe or permanent damage.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:** Call 13 11 26 (Australia Wide).

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### 5.4 Hazchem code

- 3Z
- 3 - Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.
- Z - Full fire kit and breathing apparatus. Contain.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves and eye/face protection.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

## Room Care R2-Plus

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
propan-2-ol	400 ppm 983 mg/m <sup>3</sup>	500 ppm 1230 mg/m <sup>3</sup>	

Biological limit values, if available:

**8.2 Exposure controls**

*The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.*

*If available, please refer to the product information sheet for application and handling instructions.*

*Normal use conditions are assumed for this section.*

*Recommended safety measures for handling the undiluted product:*

*Covering activities such as filling and transfer of product to application equipment, flasks or buckets*

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166).

**Hand protection:**

Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber

Penetration time:  $\geq$  480 min

Material thickness:  $\geq$  0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber

Penetration time:  $\geq$  30 min

Material thickness:  $\geq$  0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:**

Should not reach sewage water or drainage ditch undiluted or unneutralised.

## Room Care R2-Plus

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 9.1

**Appropriate engineering controls:** Use only in well ventilated areas.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment**

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product.  
**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear, Green	
<b>Odour:</b> Slightly perfumed	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> ≈ 11 (neat)	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant for classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data
<b>Flash point (°C):</b> Not applicable.	
<b>Sustained combustion:</b> Not applicable.	
<b>Evaporation rate:</b> Not determined	Not relevant to classification of this product
<b>Flammability (solid, gas):</b> Not applicable to liquids	
<b>Upper/lower flammability limit (%):</b> Not determined	See substance data
<b>Vapour pressure:</b> Not determined	See substance data
<b>Vapour density:</b> Not determined	Not applicable, no vapour pressure data available
<b>Relative density:</b> 1.03 g/cm <sup>3</sup> (20 °C)	
<b>Solubility in / Miscibility with Water:</b> Fully miscible	
<b>Autoignition temperature:</b> Not determined	
<b>Decomposition temperature:</b> Not applicable.	
<b>Viscosity:</b> ≈ 40 mPa.s (20 °C)	
<b>Explosive properties:</b> Not explosive.	Not explosive, based on substance properties
<b>Oxidising properties:</b> Not oxidising	Not oxidising, based on substance properties
<b>9.2 Other information</b>	
<b>Surface tension (N/m):</b> Not determined	Not relevant to classification of this product
<b>Corrosion to metals:</b> Not corrosive	UN Manual of Tests and Criteria, section 37

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

## Room Care R2-Plus

Mixture data:

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): &gt;2000

ATE - Dermal (mg/kg): &gt;2000

**Skin irritation and corrosivity****Result:** Skin irritant 2**Method:** Bridging

Substance data, where relevant and available, are listed below.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300 - 2000	Rat	OECD 423 (EU B.1 tris)	
didecyldimethylammonium chloride	LD <sub>50</sub>	300 - 2000	Rat	OECD 401 (EU B.1)	
alkyldimethylbenzylammoniumchloride	LD <sub>50</sub>	398	Rat		
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300	Rat		
sodium carbonate	LD <sub>50</sub>	2800	Rat	Method not given	-
propan-2-ol	LD <sub>50</sub>	3570	Rat	Method not given	-

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	
didecyldimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride	LD <sub>50</sub>	800 - 1420	Rat	Method not given	
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 2000	Rat		
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	-
propan-2-ol	LD <sub>50</sub>	> 2000	Rabbit	Method not given	-

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
didecyldimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate	LC <sub>50</sub>	2.3 (dust)	Rat	OECD 403 (EU B.2)	2
propan-2-ol	LC <sub>50</sub>	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
didecyldimethylammonium chloride	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyldimethylbenzylammoniumchloride	Corrosive		Method not given	
alkyl alcohol ethoxylate	Irritant	Rabbit	Draize test	
sodium carbonate	Not irritant	Rabbit	Method not given	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	Severe damage		Method not given	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
sodium carbonate	Irritant	Rabbit	Method not given	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
didecyldimethylammonium chloride	No data available			

## Room Care R2-Plus

alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
propan-2-ol	No data available			

**Sensitisation**

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	Not sensitising		Method not given	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig		
sodium carbonate	Not sensitising		Method not given	-
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	-

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			-
propan-2-ol	No data available			-

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
didecyldimethylammonium chloride	No data available		No data available	
alkyldimethylbenzylammoniumchloride	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No data available	
sodium carbonate	No data available		No data available	
propan-2-ol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	No data available
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
propan-2-ol	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		
didecyldimethylammonium chloride			No data available				
alkyldimethylbenzylammoniumchloride			No data available				
alkyl alcohol ethoxylate			No data available				
sodium carbonate			No data available				
propan-2-ol			No data available				

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				

## Room Care R2-Plus

		available				
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)		
didecyldimethylammonium chloride			No data available					
alkyldimethylbenzylammoniumchloride			No data available					
alkyl alcohol ethoxylate			No data available					
sodium carbonate			No data available					
propan-2-ol			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	No data available
sodium carbonate	No data available
propan-2-ol	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	No data available
sodium carbonate	No data available
propan-2-ol	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10	<i>Cyprinus carpio</i>	OECD 203	96
didecyltrimethylammonium chloride	LC <sub>50</sub>	0.1 - 1	<i>Brachydanio rerio</i>	OECD 203	96
alkyldimethylbenzylammoniumchloride	LC <sub>50</sub>	> 0.1-1	Fish	Method not given	96
alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10	<i>Cyprinus carpio</i>	OECD 203	96
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
propan-2-ol	LC <sub>50</sub>	> 100	<i>Pimephales promelas</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48
didecyltrimethylammonium chloride	EC <sub>50</sub>	0.1 - 1	<i>Daphnia magna Straus</i>	OECD 202	48
alkyldimethylbenzylammoniumchloride	EC <sub>50</sub>	0.02	<i>Daphnia</i>	Method not given	48
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Daphnia magna Straus</i>	OECD 202	48
sodium carbonate	EC <sub>50</sub>	265	<i>Daphnia magna Straus</i>	Method not given	96
propan-2-ol	EC <sub>50</sub>	> 100	<i>Daphnia magna Straus</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
didecyltrimethylammonium chloride	EC <sub>50</sub>	0.1 - 1	<i>Pseudokirchneriella subcapitata</i>	OECD 201	72
alkyldimethylbenzylammoniumchloride	EC <sub>50</sub>	0.06	<i>Pseudokirchneriella subcapitata</i>	OECD 201	96
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201	72
sodium carbonate		No data available			-
propan-2-ol	EC <sub>50</sub>	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			-
didecyltrimethylammonium chloride		No data available			-
alkyldimethylbenzylammoniumchloride		No data available			-
alkyl alcohol ethoxylate		No data available			-
sodium carbonate		No data available			-
propan-2-ol		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC <sub>10</sub>	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
didecyltrimethylammonium chloride		No data available			



## Room Care R2-Plus

alkyldimethylbenzylammoniumchloride	EC <sub>20</sub>	10	Activated sludge	OECD 209	0.5 hour(s)
alkyl alcohol ethoxylate	EC <sub>10</sub>	> 2500	Activated sludge	DIN 38412 / Part 8 Read across	17 hour(s)
sodium carbonate		No data available			
propan-2-ol	EC <sub>50</sub>	> 1000	Activated sludge	Method not given	

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyldimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>		-	
didecyldimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208	-	

## Room Care R2-Plus

didecyldimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	EC <sub>50</sub>	> 100	<i>Triticum aestivum</i> <i>Lepidium sativum</i> <i>Brassica alba</i>	OECD 208	-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyldimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyldimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyldimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
alkyl alcohol ethoxylate		CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable

## Room Care R2-Plus

didecyldimethylammonium chloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
alkyldimethylbenzylammoniumchloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
alkyl alcohol ethoxylate		CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available			
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	0.5 - 1.58	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available		No bioaccumulation expected	
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available				
didecyldimethylammonium chloride	2.1		Method not given	No bioaccumulation expected	
alkyldimethylbenzylammoniumchloride	0.5		Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
propan-2-ol	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
didecyldimethylammonium chloride	No data available				
alkyldimethylbenzylammoniumchloride	No data available				
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

### 12.5 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging**

**Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

## SECTION 14: Transport information



## Room Care R2-Plus

**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** 3082**14.2 UN proper shipping name:**

Environmentally hazardous substance, liquid, n.o.s. ( alkylidimethylbenzylammoniumchloride )

**14.3 Transport hazard class(es):****Class:** 9**Label(s):** 9**14.4 Packing group:** III**14.5 Environmental hazards:****Environmentally hazardous:** Yes**Marine pollutant:** Yes**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** •3Z**IMO/IMDG****EmS:** F-A, S-F

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Poison schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Classification</b>	Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.
<b>Inventory listing(s)</b>	AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS31000586**Version:** 01.0**Revision:** 2015-10-24**Full text of the H phrases mentioned in section 3:**

- H225 - Highly flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H336 - May cause drowsiness or dizziness.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.

**Additional information:**

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ):** Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Room Care R2-Plus**

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations and acronyms:**

- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number

**End of Safety Data Sheet**