MAGIQUE HAND SANITISER GEL

ISSUE DATE: 1/05/2020 Page 1 of 5

1. Identification

GHS Product identifier MAGIQUE Hand Sanitiser Gel **Company Name** Blue Lion Supplies Pty. Ltd.

Address Fact. 3, 29 Barry Street, BAYSWATER, VIC 3153

Telephone (03) 9720 1577 **Fax Number** (03) 9720 1799 Contact Jim Gillman

Recommended use of the

chemical and restrictions

on use

Other Names Ethanol Solution

Other Information Emergency contact: Mobile: 0412 646 246

Ethanol based gel for Hand Sanitising

2. Hazard Identification

Flammable liquids Category1 GHS classification of the substance/mixture Skin irritation Category 2 Category 2A

Eye irritation

Signal Word (s) **DANGER**

Hazard Statement(s) H224 Highly flammable liquid and vapour

> H319 Causes serious eye irritation

Risk Phrases

Pictogram (s) GHS02

Precautionary statement -P280 Wear eye protection.

Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response P305 + P351 Remove/ Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P313 If eye irritation persists: Get medical attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P235 Store in a well-ventilated place. Keepcool. Storage

Disposal P501 Dispose of contents/ container to an approved waste disposal plant

3. Composition/information on ingredients

Chemical Characterization Ethanol solution

Hazardous ingredients Name CAS no. **Proportion Hazard symbol** Risk phrase Ethanol 64-17-5 75% Carbomer 76050-42-5 <1% Triethanolamine 102-71-6 <1% Glycerol 56-81-5 >1% Aloe Vera extract 8015-61-0 <1%

Issued by Blue Lion Supplies Pty. Ltd. ABN 65 099 391 572 **Revision No. 1**

DO NOT DETACH THIS PAGE FROM THE SDS

MAGIQUE HAND SANITISER GEL

ISSUE DATE: 1/05/2020 Page 2 of 5

4. First-aid measures

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth withwater.

Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

First Aid Facilities Maintain eyewash fountain and safety shower in work area. **Advice to Doctor** Treat symptomatically. Consult Poisons Information Centre

Other Information For advice, contact the National Poisons Information Centre (Phone Australia 13 11 26 and New Zealand 0800

764 766) or a doctor.

5. Fire-fighting measures

Suitable extinguishing Use extinguishing media most appropriate for the surrounding fire.

media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

If safe to do so, move undamaged containers from the fire area. Cool containers with flooding quantities

of water until well after the fire is out.

Specific hazards arising from

the chemical Highly Flammable. Vapours are heavier than air and may form explosive mixtures with air. Contact with an

ignition source may cause flashback along the vapour trail. Contact with oxidising agents may result in fire and

the emission of carbon monoxide, carbon dioxide and other products of combustion.

Precautions in connection

with fire

Wear SCBA and chemical splash suit. Fully encapsulating, gas-tight suits should be worn formaximum

protection. Structural firefighter's uniform is NOT effective for these materials.

6. Accidental release measures

Personal Precautions Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequateventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form

explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

Personal Protection

Clean-up Methods-

Wear protective clothing specified for normal operations (see Section 8)

Small Spillages Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and

place in container for disposal according to local regulations (see section13).

Clean-up Methods-

Large Spillages Seek expert advice on handling and disposal.

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

7. Handling and storage

Precautions for Safe

Handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of

Electrostatic charge.

Conditions for safe storage Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which

are opened must be carefully resealed and kept upright to prevent leakage. Keep in fireproof place.

Incompatible products Strong bases. Strong acids.

Incompatible materials Alkali metals, Ammonia, Oxidizing agents, Peroxides

Packaging materials SUITABLE MATERIAL: stainless steel. aluminium. iron. copper. nickel. synthetic material.glass.

MAGIQUE HAND SANITISER GEL

ISSUE DATE: 1/05/2020 Page 3 of 5

8. Exposure controls/personal protection

Occupational exposure limit

values

STEL TW/

Name mg/m3 ppm mg/m3 ppm Footnote

Other exposure

Information The exposure value at the TWA is the average airborne concentration of a

particular substance when calculated over a normal 8 hour working day for a 5 day working week.

Appropriate engineering

Controls

In industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other

methods.

Personal Protective

Equipment

Hand Protection

Final choice of personal protective equipment will depend on individual circumstances and/or according

to risk assessments undertaken.

Respiratory Protection Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours

or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of RespiratoryProtective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-face piece SCBA should be used. If respiratory protection is required; institute a complete respiratory protection program including selection,

fit testing, training, maintenance and inspection.

Eye Protection The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate.

Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS1336. Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of

gloves as hazardous waste.

Hand protection should comply with AS 2161, Occupational protective gloves - Selection, use and

main tenance.

Recommendation: Nitrile rubber gloves.

Footwear Safety boots in industrial situations is advisory, foot protection should comply with AS 2210,

 $\label{lem:conditional} Occupational\ protective\ footwear\ -\ Guide\ to\ selection,\ care\ and\ use.$

Body Protection Clean clothing or protective clothing should be worn, preferably with and apron. Clothing for protection

against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.

Hygiene Measures Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling this material. Maintain

good housekeeping.

9. Physical and chemical properties

Form Colourless transparent viscous liquid gel

Appearance Colourless
Odour Alcohol odour
Melting Point No data
Boiling Point No data

Flash point 19.5 °C - closed cup

Vapour Pressure No data
Solubility No data
Specific Gravity No data
pH Not available
Odour Threshold No data

Flammability Highly flammable

Molecular Weight No data

MAGIQUE HAND SANITISER GEL

ISSUE DATE: 1/05/2020 Page 4 of 5

10. Stability and reactivity

Chemical Stability Stable under normal use conditions. Hygroscopic

Conditions to Avoid Heat, flames and sparks. Extremes of temperature and direct sunlight. Incompatibles.

Incompatible Materials Hazardous Decomposition Alkali metals, Ammonia, Oxidizing agents, Peroxides

products

 $Carbon\ monoxide.\ Carbon\ dioxide.\ May\ release\ flammable\ gases.$

Possibility of

hazardous reactions Not established. Hazardous Polymerization Will not occur.

11. Toxicological Information

Acute toxicity Harmful if swallowed.

Ethanol (64-17-5) LD50 oral rat 10740 mg/kg (Rat; Experimental value)

LD50 dermal rabbit > 16000 mg/kg (Rabbit)

Inhalation Inhalation at levels at or exceeding the Occupational Exposure limits or any deliberate ingestion is known to lead

to health effects which may be evident in them, or lead to impaired functioning and consequent safety risks in the industrial setting. A blood alcohol level in excess of 0.05g\100ml is regarded as likely to impair functioning for

tasks such as operating machinery.

Vapour may be irritating to mucous membranes and respiratory tract. Inhalation of the vapour may result in drunkenness, (see effects of swallowing above) or headache, nausea, in coordination, narcosis (sleepiness) and vomiting. Early signs or symptoms may occur at airborne levels of 1000 to 5000 ppm. Ongoing or repeated exposures at high concentrations may cause central nervous symptoms similar to 'swallowed' above. Deliberate

inhalation of the vapour is a known occupational risk.

Skin No irritant and Non sensitiser. If skin condition produces irritation discontinue use.

Eye Vapours may irritate the eyes. Symptoms may include redness, excessive tearing, and stinging, swelling and

blurred vision.

Ingestion Accidental swallowing can cause drunkenness or central nervous system effects, including excitation,

euphoria, headache, dizziness, drowsiness, blurred vision and fatigue. Inhalation May cause intoxication with

symptoms as described above.

Carcinogenicity No data
Reproductive toxicity No data

Effects on Newborn Drug dependence.

ISSUE DATE: 1/05/20 MAGIQUE HAND SANITISER GEL Page 5 of 5

12. Ecological information

Ecotoxicity

No data available.

Ethanol(64-17-5)

Persistence and

degradability No data available.

Acute Toxicity

LC50 fishes 1 14200 mg/l (96 h; Pimephales promelas; Nominal concentration)

EC50 Daphnia 1 9300 mg/l (48 h; Daphnia magna)

LC50 fish 2 13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)

EC50 Daphnia 2 10800 mg/l (24 h; Daphnia magna)

Threshold limit other aquatic organisms 1:65 mg/l (72 h; Protozoa)

Threshold limit algae 1: 1450 mg/l (192 h; Microcystis aeruginosa; Growth rate) Threshold limit algae 2: 5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)

13. Disposal considerations

Disposal Considerations

Avoid release of product to the environment. Product and containers not suitable for landfill. Recycle/reuse empty containers where possible. Stored empty containers are to be treated as hazardous waste. Remove waste in accordance with local and/or national regulations by an authorized company. Hazardous waste shall not be mixed together with other waste.

14. Transport information

U.N. Number 1170

UN proper shipping name ETHANOL SOLUTION Transport hazard class(es) 3 Flammable liquid

Hazchem Code 2Y Packing Group II

15. Regulatory information

Regulatory Information Listed in the Australian Inventory of Chemical Substances (AICS).

Poisons Schedule Se

16. Other Information

Date of preparation or last

revision of SDS 01/05/2020

References National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road

and Rail 7th. Ed.', 2007.

'Labelling of Hazardous Workplace Chemicals, Code of Practice' Safe Work Australia.

Safe Work Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(2004)]'.

Safe Work Australia, 'Hazardous Substances Information System, 2005'.

Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous

Substances (2011)'.

Empirical Formula & Structural Formula

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY USE THE PRODUCT IN THE WORKPLACE.

THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS.

Issued by Blue Lion Supplies Pty. Ltd.

ABN 65 099 391 572

Revision No. 1