



SUMA GRILL D9

Revision: 2021-10-18

Version: 02.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA GRILL D9

1.2 Recommended use and restrictions on use

Identified uses:

Oven and grill cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited

29 Chifley St, Smithfield, NSW, 2164, Australia

Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: aucustserv@diversey.com

Website: www.diversey.com/

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1A

Serious eye damage, Category 1

Corrosive to metals, Category 1

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

Prevention statement(s):

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

SUMA GRILL D9

Storage statement(s):

P405 - Store locked up.
P406 - Store in corrosive-resistant container with a resistant inner liner.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 10

Skin irritation, Category 2
Serious eye irritation, Category 2
Corrosive to metals, Category 1

2.5 Label elements diluted product

Warning.

H315 + H319 - Causes skin and serious eye irritation.
H290 - May be corrosive to metals.

P234 - Keep only in original packaging.
P264 - Wash face, hands and any exposed skin thoroughly after handling.
P280 - Wear protective gloves.
P332 + P313 - If skin irritation occurs: Get medical advice or attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice or attention.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P362 - Take off contaminated clothing.
P390 - Absorb spillage to prevent material damage.
P406 - Store in corrosive-resistant container with a resistant inner liner.
P501 - Dispose of unused content as chemical waste.

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
sodium hydroxide	1310-73-2	215-185-5	3-10
(2-methoxymethylethoxy)propanol	34590-94-8	252-104-2	3-10
alkyl polyglucoside	68515-73-1	500-220-1	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

SUMA GRILL D9

Ingestion:	doctor or physician. Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Shower and eyewash facilities should be considered in a workplace where necessary. Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.
Ingestion:	Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2R

2 - Fine water spray.

R - Liquid-tight chemical protective clothing and breathing apparatus. Dilute.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2. Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

SUMA GRILL D9

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
sodium hydroxide			2 mg/m ³
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (AS/NZS 1337.1). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: Use only in well ventilated areas. Ensure that foam equipment does not generate respirable particles.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment**Eye / face protection:**

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection:

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

SUMA GRILL D9

Body protection:	be chosen.
Respiratory protection:	No special requirements under normal use conditions Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical state: Liquid	
Colour: Clear , Dark Brown	
Odour: Product specific	
Odour threshold: Not applicable	
pH: ≈ 14 (neat)	ISO 4316
Dilution pH: ≈ 13 (10 %)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 93 °C	closed cup
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)	Weight of evidence
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Lower and upper explosion limit/flammability limit (%): Not determined	
Vapour pressure: Not determined	
Relative vapour density -	Not relevant to classification of this product
Relative density: ≈ 1.12 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with Water: Fully miscible	
Partition coefficient: n-octanol/water No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive. Vapours may form explosive mixtures with air.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide		500			
(2-methoxymethylethoxy)propanol	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)	
alkyl polyglucoside	LD ₅₀	> 2000	Rat	OECD 423 (EU B.1 tris)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	LD ₅₀	9510	Rabbit	Method not given	
alkyl polyglucoside	LD ₅₀	> 2000	Rabbit	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	LC ₀	> 1.667 (vapour) No mortality observed	Rat		7
alkyl polyglucoside		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
alkyl polyglucoside	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
alkyl polyglucoside	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
(2-methoxymethylethoxy)propanol	No data available			
alkyl polyglucoside	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch test	
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
alkyl polyglucoside	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	

			Buehler test	
--	--	--	--------------	--

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
(2-methoxymethylethoxy)propanol	No data available			
alkyl polyglucoside	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
alkyl polyglucoside	No evidence for mutagenicity, negative test results	Read across	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
alkyl polyglucoside	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
(2-methoxymethylethoxy)propanol			No data available				No evidence for reproductive toxicity
alkyl polyglucoside			No data available		OECD 416, (EU B.35), oral		No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside	NOAEL	100	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data					

			available				
(2-methoxymethylethoxy)propanol			No data available				
alkyl polyglucoside			No data available				

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
(2-methoxymethylethoxy)propanol	No data available
alkyl polyglucoside	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
(2-methoxymethylethoxy)propanol	No data available
alkyl polyglucoside	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96
(2-methoxymethylethoxy)propanol	LC ₅₀	> 1000	<i>Poecilia reticulata</i>	Method not given	96
alkyl polyglucoside	LC ₅₀	100.81	<i>Brachydanio rerio</i>	ISO 7346	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48
(2-methoxymethylethoxy)propanol	EC ₅₀	1919	<i>Daphnia magna Straus</i>	Method not given	48
alkyl polyglucoside	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
(2-methoxymethylethoxy)propanol	EC ₅₀	> 969	<i>Selenastrum capricornutum</i>	Method not given	72
alkyl polyglucoside	EC ₅₀	27.22	<i>Desmodesmus subspicatus</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol		No data available			
alkyl polyglucoside	EC ₅₀	12.43	<i>Skeletonema costatum</i>	Method not given	3

SUMA GRILL D9

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
(2-methoxymethylethoxy)propanol	EC ₁₀	4168	<i>Pseudomonas putida</i>	Method not given	
alkyl polyglucoside	EC ₁₀	> 560	<i>Pseudomonas putida</i>	Method not given	6 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol		No data available				
alkyl polyglucoside	NOEC	1	<i>Brachydanio rerio</i>	Method not given	28 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	<i>Daphnia magna</i>	Method not given	22 day(s)	
alkyl polyglucoside	NOEC	1	<i>Daphnia magna</i>	OECD 202	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

12.2 Persistence and degradability

SUMA GRILL D9

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
alkyl polyglucoside	Activated sludge, aerobe	DOC reduction	100 % in 28 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
alkyl polyglucoside	0.07	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
(2-methoxymethylethoxy)propanol	No data available				
alkyl polyglucoside	< 1.77		Method not given	No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
alkyl polyglucoside	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

SUMA GRILL D9

Empty packaging Recommendation:
Suitable cleaning agents:

Dispose of observing national or local regulations.
 Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: 1824

14.2 UN proper shipping name:
Sodium hydroxide solution

14.3 Transport hazard class(es):
Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards:
Environmentally hazardous: No
Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: 2R

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.7 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31001094

Version: 02.0

Revision: 2021-10-18

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

SUMA GRILL D9

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- ATE - Acute Toxicity Estimate
- AUH - Non GHS hazard statement
- DNEL - Derived No Effect Limit
- EC No. - European Community Number
- EC50 - effective concentration, 50%
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organization for Economic Cooperation and Development
- PNEC - Predicted No Effect Concentration
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)

End of Safety Data Sheet